

DERMALOG

Fingerprint Scanner LF 10

Unchallenged speed, reliability and image quality.



Outstanding Features

- > Additional Liveness Detection
- > Signature Capturing
- > Excellent results for dry fingerprints
- > Capturing of plain tenprints, singleprints & rolled fingerprints

Key Benefit

The first tenprint and rolled fingerprint scanner providing integrated liveness detection.

High-quality Fingerprint and Signature Images with DERMALOG's LF10.

A comprehensive solution for biometric tasks - Made in Germany.

The DERMALOG LF10 is the first tenprint and rolled fingerprint scanner providing liveness detection. Using its large scanning area the LF10 is optimized for creating high quality images. Its advanced optical system captures plain fingerprint images and rolled fingerprints within a second. From border management to voters registration or law enforcement - a comprehensive biometric solution.



Fingerprints

The optical scanner provides a 500 dpi fingerprint image (FBI EBTS Appendix F certification). Due to the automated fingerprint optimisation results will be fully applicable even in poor conditions (dry fingerprints).



Rolled Fingerprints

Mainly needed for criminal investigation capturing rolled fingerprints do not set a difficult challenge for Fingerprint Scanner LF10. The captured single pictures result into image data ready to use for professional demands. Marked areas for roll finger capturing.




Liveness Detection

High security will be ensured by using the latest liveness detection technology. Exclusive security features detect fake fingerprints or manipulation. (Optional purchase)

Product Features

- > Excellent results for dry fingerprints
- > Robust against disturbing light sources
- > High quality fingerprint images - no reference images required
- > Liveness detection to prevent attacks using fake fingers (optional purchase)
- > Signature Capturing
- > Automatic Fingerprint Segmentation Module
- > Dimensions of 163 mm x 120 mm x 238 mm
- > Capturing of plain tenprints, singleprints & rolled fingerprints



Ten Fingerprint Capturing

LF10 provides a feature of collecting an individual's ten fingerprints by using the 4-4-2 method. Ensuring crystal-clear images, the device delivers excellent data quality for further processing. More combinations possible, such as 4-2-4 and 2-4-4.



Signature pad

By using a touch pen, available as separate accessory, signatures can be captured on the DERMALOG LF10 scan surface.



Certified Image Quality

The German Federal Office for Information Security has certified the DERMALOG LF10 fingerprint scanner according to the "BSI-TR-03104" standard. Since the LF10 stores fingerprint information in German ePassports. The LF10 furthermore meets the criteria of AFIS Image Quality Standard Appendix F.

Specifications Fingerprint Scanner LF10

Technical Features

Fingerprint scanning window size	86 mm x 84 mm
Optical scanning area	81 mm x 81 mm
Image resolution	1600 x 1600 pixels, 500 dpi
Bit Depth	8 bit, 256 gray levels
Raw fingerprint image file size	Approx. 2.5 MB
WSQ compressed	Approx. 0.4 MB
Interface	USB 2.0 high-speed with 1.8 meters standard USB cable
Dimensions (H x W x D)	120 mm x 163 mm x 238 mm
Weight (including USB cable)	2.3 kg
Operating temperature	0 °C to 50 °C at a humidity of 5 - 95 % non-condensing
Storage temperature	0 °C to 50 °C at a humidity of 5 - 95 % non-condensing
Light source	Infrared light-emitting diodes (LED)
Supply	external AC adapter with 1.8 m cable, 100 - 240 V, 50 / 60 Hz, 0.6 A
Certifications	CE, BSI-TR-03104, FBI-EBTS/F

SDK Features

Fourprint Segmentation	separation of single fingerprint segments from a fourprint (CAPI and .NET) image
NIST Quality Check	NFIQ 1.0: calculation of the NIST quality from a given image. The quality is calculated in the NRQ range from 1 (good quality) to 5 (bad quality) using the official NIST standard NFIQ 2.0: calculation of the NIST quality from a given image. The quality is calculated in the NRQ range from 100 (good quality) to 0 (bad quality) using the official NIST standard
WSQ Compression	FBI-certified
Operating Systems	Windows, Linux

Head Office

DERMALOG Identification Systems GmbH
Mittelweg 120
20148 Hamburg
Germany

Berlin Office

DERMALOG Identification Systems GmbH
Kronenstrasse 1
10117 Berlin
Germany

Malaysia Office

DERMALOG AFIS Asia Sdn Bhd
8-4, 8th Floor, Bangunan Malaysia RE
No. 17, Lorong Dungun
Damansara Heights
50490 Kuala Lumpur



Philippine Branch Office

DERMALOG Identification Systems GmbH
7/F Unit B 8 Rockwell
Hidalgo Drive, Rockwell Center
Makati City 1210
Philippines

Singapore Office

DERMALOG Singapore Technical Services Pte. Ltd.
Southbank
883 North Bridge Road, #17-02
198785 Singapore



© 2017 All content and images are owned by DERMALOG Identification Systems GmbH and are actively protected by copyright.